stylex

General Information

GENERAL INFORMATION

Terms

Net 30 days from date of invoice. FOB Delanco, NJ

Damaged Shipments

All Stylex products are carefully inspected before they are packed in sturdy cartons designed to satisfy shipping requirements. Stylex is not responsible for damage in shipment. The transportation company assumes responsibility for delivering products to you in good condition when the bill of lading is signed. You protect yourself by refusing shipments showing damage or shortage until transportation company has noted on the delivery sheet the extent of damage or shortage. Concealed damage should be reported to the carrier as soon as discovered, but not later than 15 days after receiving shipment.

Return/Restocking Policy

Return shipments will not be accepted unless specifically authorized by Stylex in writing. The Return Authorization number should be clearly marked on the carton. The customer returning Stylex products is responsible for return shipping costs. Merchandise must be returned unused. Returned merchandise is subject to a 35% restocking fee.

Specials/Customs

Modifications to standard products will be considered for large runs. Contact Stylex for more information.

Design Changes

In keeping with modern manufacturing advances, Stylex reserves the right to incorporate minor modifications and design changes in products without notice.

Cancellation Policy

No charge prior to production except for inventory specifically requisitioned to fulfill the particular order. After production has begun, only actual costs incurred, including labor and material, will be billed to the customer.

WARRANTY

Except as provided below, Stylex warrants exclusively to the original Purchaser of our product that all parts, under normal use and service, will be free from defects in workmanship and material for a period of ten (10) years from the date of purchase. "Normal use and service" means that the product will be used in a typical office environment for 40-45 hours per week.

This warranty is subject to the following limitations, exclusions and provisions:

Wood components of plywood stacking chairs (such as Brooks and Welcome)

5 years

Upholstery

(including mesh used for Click, F4, Insight, and Zephyr Mesh) 3 years

SAVA Mesh

10 years

COM Upholstery

No warranty

Stylex makes every effort to ensure that the COM Upholstery it approves is suitable for the intended use. Nevertheless, we will not warrant, and assume no responsibility for, the durability or tailoring quality of any COM or COL. If you have any concerns about the ultimate appearance of any covering, please order an upholstered sample.

Painted Stack Chair Frames

No Warranty

We will not warrant the finish of painted stack chair frames against damage from stacking. We recommend ordering chrome frames for chairs that will be stacked.

Felt Glides

No warranty

Due to the different surfaces on which felt glides may be used, we cannot warrant their durability over time.

If this product fails during normal use and service within the applicable warranty period (other than through normal wear and tear), please send a description of the relevant part and the nature of the defect, together with proof of purchase of the product, to Stylex at: Customer Service. c/o Stylex, P.O. Box 5038, Delanco, NJ 08075. PLEASE DO NOT RETURN PARTS OR THE PRODUCT TO STYLEX UNLESS INSTRUCTED TO DO SO BY STYLEX. Stylex will, at its option, either repair or replace the product or the part found defective by Stylex completely without charge for materials or labor. Purchaser may be required (at the option of Stylex) to return to Stylex at Purchaser's expense any defective part with all freight or shipping charges prepaid. The foregoing warranty shall be void if the product has been altered or repaired (other than by Stylex). The warranty does not cover damage to the product caused by accident, neglect, misuse, abuse, modification to the product by anyone other than Stylex or damage caused by use of the product for a purpose other than that for which it was designed. This warranty extends only to the original Purchaser of the product.

No Other Warranties

This warranty is in lieu of all other warranties, expressed or implied, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. The rights and remedies provided herein are the exclusive rights and remedies of the original purchaser of the product.

No Liability For Damages

In no event shall Stylex or its suppliers be responsible or liable for any special, indirect, consequential, or incidental damages. In no event shall the liability of Stylex exceed the actual purchase price paid to Stylex for the product.

Out of Warranty Products

For all products no longer covered by our warranty, please refer to our Design for Durability and Upgradability Policy. Contact Customer Service if you would like to purchase any replaceable components to further extend the life of any Stylex seating product. This warranty applies to all Stylex products purchased on April 13, 2018, and thereafter.

PRODUCT TAKE BACK PROGRAM

At Stylex, responsible stewardship of our products extends beyond their initial use. Our Product Take Back Program provides a practical solution for the end of our products' intended life cycle.

Through our partnership with ANEW, a 501(c)(3) nonprofit organization, we offer clients a comprehensive takeback solution for surplus office furniture and materials, regardless of their condition. ANEW's mission aligns with ours—to connect surplus resources with nonprofits, public agencies, and underserved communities, minimizing landfill impact and maximizing corporate social responsibility

By repurposing surplus items, we strengthen community networks and reduce environmental impact. Stylex proudly supports ANEW, integrating this partnership into our strategic sales strategy since 2014. Learn more at www.anewfound.org.


Initiate a Product Take Back through ANEW by emailing Stylex at info@stylexdesign.com. For additional end-oflife recovery options, refer to our Product Disassembly Instructions and End of Life Recovery Options documents, available in the Resources section of each product on our website. Together, let's build a sustainable future.

ZONE 2 - 5%

Alabama

FREIGHT PROGRAM

Stylex offers a Guaranteed Freight Program, which provides the purchaser the ability to determine shipping and handling charges at the time of order. Freight charges will be calculated as a percentage of the net product price and added to the invoice at the time of shipment. The continental United States has been divided into three zones. Please use the map below to determine the freight charges for the product's destination. There is a minimum freight charge of \$150.



Connecticut Delaware New York **New Jersey** Maryland Massachusetts North Carolina Ohio Pennsylvania Rhode Island Virginia Washington D.C.

West Virginia

ZONE 1 - 4%

California **Arkansas** Canada, Ontario Canada, Quebec Florida Georgia lowa Illinois Indiana Kansas Kentucky Louisiana Nebraska **New Hampshire** Oklahoma Maine Michigan Minnesota Missouri Mississippi

South Carolina

Tennessee

Wisconsin

Texas

Colorado Idaho Montana Nevada **New Mexico** North Dakota Oregon South Dakota Utah Washington Wyoming **Quote Per Project** Alaska Hawaii Canada (outside Ontario

ZONE 3 - 6%

Arizona

& Quebec) Mexico

General Information

TEXTILE PARTNERS & APPROVALS

Textile Partners

To customize your furniture performance needs and design vision, Stylex offers a wide selection of in-graded leathers and textiles from Grades A through Y. We've partnered with leading manufacturers on the options, focusing on color, price, durability, and construction. To view our partners and explore our digital carded program with broadly approved textiles, visit this page. We stand by these textiles: They're tried and tested, and will effortlessly fit into any design aesthetic.

Textile Approvals

To view Stylex Approved Textile documents to determine specific product approval status, refer to our Product Tested Textiles documents, available in the Resources section of each product on our website.

CAL 117 AND 133 COMPLIANCE

CAL 117-2013

All Stylex seating satisfies the requirements of CAL 117-2013 so long as one of our standard or ingraded textiles is applied. COM textiles cannot be so guaranteed. Please contact the supplier of COM's directly to determine the fire retardancy of any COM supplied to us.

CAL 133

Most Stylex seating can be ordered to meet the requirements of CAL 133. When ordering, simply specify "CAL 133 compliance required". The upcharge for this option is \$54 list per yard. Please refer to the COM yardage of each model to determine the number of yards required. We do frequently require full-scale burn tests in order to certify CAL 133 before an order will be accepted. Such burn tests may increase normal lead times and do carry additional charges. Please contact customer service for details.

CUSTOMER'S OWN MATERIAL/LEATHER

Customer's own material (COM) and customer's own leather (COL) will generally be upholstered at the price designated in each product's price list. Please be advised, however, that we specifically reserve the right to charge a higher price when we determine that special circumstances, such as unusual repeats or challenging materials, present themselves. All orders for custom coverings must be approved by Stylex before they will be accepted for production. To submit proposed textile for approval, please use the COM form here.

Special Note:

We assume no responsibility for the durability or tailoring quality of any COM or COL. Directional covers in particular may not meet your satisfaction due to the design of certain products. Please be advised that COM and COL orders are not subject to return. If you have doubts about the ultimate appearance of certain coverings, please order a sample done with that specific COM or COL. In addition, while we inspect textiles for mill imperfections, some are difficult to recognize. We cannot be responsible for defects, color inaccuracies, dye lot variations, or other flaws.

Under no circumstances will we be responsible for COM shortages, flaws, or other such problems. Finally, it is not our responsibility to police the receipt of COM's in order to meet delivery deadlines, and we assume our customers are aware of any undue delay in the shipment of their COM textiles.

COM textile and COL leather should be sent prepaid to:

Stylex Attn: CO

Attn: COM/COL - [Your PO #]
740 Coopertown Road
Delanco, NJ 08075

Clearly mark textile or leather with the dealer's name, purchase order number, and furniture model number of the item to be covered. Actual furniture orders should include the same information, as well as a description of the textile or leather, including pattern and color number, in order to provide a cross reference.

Yardage requirements shown in the price list are based on non-directional goods of 54" width. Textiles less than 54" wide or those requiring matching (stripes, prints, or large patterned designs) call for additional yardage. We will be happy to supply yardage requirements for large quantities where economies may be realized.

Add the following yardage for stripes, plaids, or patterns with repeats:

Textile Width	Plain Textile	2-14" Repeat	15-24" Repeat	25-27" Repeat	28-36" Repeat
54"	0%	10%	15%	20%	25%
50"	10%	20%	25%	30%	35%
48"	15%	25%	30%	35%	40%
45"	40%	50%	55%	60%	65%
36"	50%	60%	65%	70%	75%

COM/COL FORM

To avoid delay in processing COM orders we request that you submit a sample of your COM textile stapled to this form which can be downloaded **here**. If a textile has a stripe or design, the size of the repeat should be indicated. Please indicate the textile supplier's name, textile number, and color. Also indicate the Stylex product on which the textile will be used.

The textile supplier must indicate on his shipping labels the dealer name and purchase order number as well as the Stylex model number.

Please Note:

No order may be entered into production or have a shipping date assigned until all related COM is received at the factory.



CENTER OF STRIPE OR DESIGN

ТОР

1. Size of Repeat		
2. Textile Supplier		
3. Textile Number		
4. Color		
5. Stylex Product		

Nestle

Contents

COLORS, MATERIALS, AND FINISHES	5
STATEMENT OF LINE	6
DIMENSIONS	7
HOW TO ORDER	8
PRICING	9

CLICK THE TITLES ABOVE TO NAVIGATE THROUGH THE DOCUMENT PRODUCT HEADERS ON SUBSEQUENT PAGES LINK BACK TO THIS PAGE

COLORS, MATERIALS, AND FINISHES

(RO)

(MS)

RUSTY RED

(RR)

NICKEL

(NK)


DUSTY PINK

(DP)


BRASS

(BR)

POWDER COAT FINISH



METAL FINISH



WOOD LEG FINISH



Nestle

SPECIFICATION GUIDE: STATEMENT OF LINE & DIMENSIONS

OVERVIEW	GUEST			LOUNGE		ADJUSTABLE HEIGHT	
	Mitered Sled	Cantilever Sled	Wood Metal Leg			Five Blade	
	Swivel Cast Aluminum	Swivel Return Cast Aluminum		Swivel Cast Aluminum	Swivel Return Cast Aluminum		

PRODUCT INFORMATION

Design

Brad Ascalon

Bases

Sled bases utilize steel tubing. Both 4-blade and 5-blade bases are cast aluminum. Wood Legs are braced with a steel cross-structure beneath the seat. The wood legs are produced from either White Oak, Maple, or Walnut.

All sled base components, as well as the steel crossstructure on 4-leg wood bases, may be ordered in bright chrome, or one of our powder coat finishes. The 4-blade and 5-blade swivel bases are polished aluminum or powder coated.

Glides

Glides are either plastic or plastic with felt pads. Please note that felt pad glides are not available on models with Aluminum or Cantilever bases.

Performance Standards

Manufactured to comply with:

ANSI/BIFMA X5.1 General-Purpose Office Chairs - Tests

Certifications

GREENGUARD Gold

LEVEL® 1, BIFMA's sustainability certification program for furniture

Nestle

SPECIFICATION GUIDE: STATEMENT OF LINE & DIMENSIONS

DIMENSIONS								
		Mitered Sled Guest	Cantilever Sled Guest	Wood Metal Leg Guest	Swivel Cast Aluminum, Guest	Swivel Return Cast Aluminum Guest	Swivel Cast Aluminum Lounge	Swivel Return Cast Aluminum Lounge
A. Seat Height B. Seat Depth C. Seat Width D. Back Width E. Distance Between Arms F. Back Height G. Arm Height H. Overall Height J. Overall Depth	$\begin{array}{c c} & & & & & & \\ & & & & & \\ \hline G & & & & \\ & & & & \\ & & & & \\ & & & &$	A. 18 B. 19.5 C. 18 D. 19.25 E. 22.75 F. 14 G. 8 H. 33 I. 25.75 J. 23.75	A. 18" B. 19.5" C. 18" D. 19.25" E. 22.75" F. 14" G 8" H. 33" I. 25.75" J. 25"	A. 18 B. 19.5 C. 18 D. 19.25 E. 22.75 F. 14 G. 8 H. 32.75 I. 25.75 J. 24.25"	A. 18 B. 19.5 C. 18 D. 19.25 E. 22.75 F. 14 G. 8 H. 32.5 I. 25.75 J. 24.25	A. 18 B 19.5 C. 18 D. 19.25 E. 22.75 F. 14 G. 8 H. 32.5 I. 25.75 J. 24.25"	A. 16.5" B. 19.5" C. 18" D. 19.25" E. 22.75" F. 14" G. 8" H. 30" I. 25.75" J. 24.25"	A. 16.5" B. 19.5" C. 18" D. 19.25" E. 22.75" F. 14" G. 8" H. 30" I. 25.75" J. 24.25"
A. Seat Height B. Seat Depth C. Seat Width D. Back Width E. Distance Between Arms F. Back Height G. Arm Height H. Overall Height I. Overall Depth Chair	B D C D H	Five Blade Cast Aluminum A. 15.4"- 20.4" B. 19.5" C. 18" D. 19.25" E. 22.75" F. 14" G. 8" H. 28.5"- 33.5" I. 24.25"						

SPECIFICATION GUIDE: HOW TO ORDER

MODEL CODE BREAKDOWN **Sample Model Code: NS2162CTPGBMCOM**

1. Series

2. Shell

Choose series. Choose shell.

Series NS - NESTLE

Shell Type 2 - UPHOLSTERED

3. Height

Choose height.

Height Options

16 - LOUNGE HEIGHT

18 - GUEST HEIGHT

40 - ADJUSTABLE HEIGHT SWIVEL

4. Base

Choose base.

Base Opitons

2 - MITERED SLED

3 - CANTILEVER SLED

5 - WOOD METAL LEG

7 - SWIVEL CAST ALUMINUM 8 - SWIVEL RETURN CAST ALUMINUM

9 - FIVE-BLADE ALUMINUM BASE

5. Options

Choose options.

Options

DF1 - DUAL UPHOLSTERY CT - CONTRASTING THREAD

6. Casters/Glides.

Choose casters/glides.

Glides

PG - PLASTIC GLIDES

FG - PLASTIC GLIDES WITH FELT PADS

AG - ADJUSTABLE GLIDES

Black Casters

BS - BLACK TRIM SOFT WHEEL

CC - CHROME TRIM CASTERS

CS - CHROME TRIM SOFT WHEEL

Gray Casters

GC - GRAY CARPET CASTERS

7. Frame Finish

Choose frame finish.

Frame Color **Standard Powder Coat**

BL - BLUE

BM - BLACK MATTE

BR - BRASS

BT - BLACK TWILIGHT

CP - CHAMPAGNE

DB – DARK BRONZE

DG - DARK GRAY

DP - DUSTY PINK

FG - FOREST GREEN

LG - LIGHT GRAY

MG - MEADOW GREEN

MK – MILK

MS - METALLIC SILVER

NK - NICKEL

NV – NAVY

OR - ORANGE

PY - PALE YELLOW

RD – RED

RO – RED ORANGE

RR - RUSTY RED SB - SOFT BLUE

SD - SAND

TC - TERRACOTTA

TP - TAUPE

TS – TEXTURED SLATE

YL – YELLOW

Other

CH - CHROME

Wood Finish

81 - WHITE OAK

85 - WALNUT

Choose textile grade.

Textile Textile Grades

8. Textile

COM - CUSTOMER'S OWN MATERIAL

A - GRADE A

B - GRADE B

C - GRADE C

D - GRADE D

E - GRADE E

F - GRADE F

G - GRADE G H - GRADE H

I - GRADE I

J - GRADE J

K - GRADE K

L - GRADE L M - GRADE M

Leather Grades

COL - CUSTOMER'S OWN LEATHER

W - GRADE W

X – GRADE X

Y - GRADE Y

E1 - GRADE E1

E2 - GRADE E2

83 - NATURAL MAPLE

09 - CUSTOM COLOR MATCH



PRICING

				1		Textile	Upholste	ry Grades								Leat	her Upho	Istery G	rades		
				СОМ	COL			С	OL												
TITLE		SERIES SEAT	FRAME DIMENSIONS	YDG	SQFT	СОМ	Α	В С		D	E	F	G	Н	I	W	X	Y	E1	E2	
Mitered Sled Frame	e	NS 218	2 25.75W x 23.75D x 33	3H 2.25	30	1,647	1,825	1,924 2,	018	2,114	2,211	2,318	2,424	2,552	2,712	2,354	2,532	3,116	3,382	3,991	
Cantilever Sled Fran	me	NS 218	3 25.75W x 25D x 33H	2.25	30	1,647	1,825	1,924 2,	018	2,114	2,211	2,318	2,424	2,552	2,712	2,354	1 2,532	3,116	3,382	3,991	
Wood Metal Leg Fra	ame	NS 218	5 25.75W x 24.25D x 3	2.75H 2.25	30	1,933	2,112	2,208 2,	306	2,400	2,498	2,605	2,710	2,835	2,999	2,642	2 2,818	3,416	3,669	4,290	
Five-Blade Aluminu	ım Base	NS 240	9 25.75W x 24.25D x 28	8.5 - 33.5H 2.25	30	1,933	2,112	2,208 2,	306	2,400	2,498	2,605	2,710	2,835	2,999	2,642	2 2,818	3,416	3,669	4,290	
o Order Select Belo	low																				
1. Series	2. Shell	3. Height	4. Base	5. Options			6. Cast	ers/Glides	;			5. Fram	e Finish								7. Upholstery
							-														
Series	Shell	Height	Base	Options			GI	ides				Po	wder C	oat							See general
NS NESTLE	2 UPHOLSTERED	18 GUEST HEIGHT ADJUSTABLE 40 HEIGHT SWIVEL	2 MITERED SLED 3 CANTILEVER SLED 5 WOOD METAL LEG FIVE-BLADE 9 ALUMINUM BASE Cylinder color will match the frame if the frame finish is black matte, light gray, or milk. Otherwise, the cylinder will be chrome.	DF1 DUAL UF CONTRA CT THREAD Dual Upholstery: Back Shell Uphols 1.7 yds 25 sqft Seat Upholstery 0.75 yds 10 sqft	<u> </u>	<u>Y</u>	BS S CC	PLASTIC GLI PLASTI	IDES ADS L CAST EIM STER EIM L CAST	+98 ER +12	3 - - -	BM E BR E BT E CP C DB E DG E DP E FG F	BLUE BLACK M. BRASS BLACK TV CHAMPA DARK BRO DARK GR DUSTY PI	VILIGHT GNE ONZE AY NK	MK MS	MEAD MILK META NICKI NAVY ORAN		SE ER SI TC TF	R RUST B SOFT D SANI C TERR D TAUF B TEXT L YELL	RACOTTA PE TURED SLAT	information se for details on to program and COM/COL information.
						9	GS :	GRAY CARPI GRAY TRIM GOFT WHEEI rs available o et casters are	L CAST on five-b	ER +53 blade base.	<u> </u>	СН			non-b Polish	ne availab laded bas ed alumir ble for bla	ses. 8 num 8	1 WH 3 NA 5 WA	HITE OAK TURAL MA		

base unless other caster option is chosen.

AL ALUMINUM

CUSTOM COLOR MATCH



PRICING

			COM		- (
I I	T		COM	COL		Ţ		COL	· · · · · · · · · · · · · · · · · · ·	1		1	1	1		<u></u>	1		, , , , , , , , , , , , , , , , , , , ,
SERIES	SEAT FRAM	DIMENSIONS	YDG	SQFT	СОМ	Α	В	С	D	E	F	G	Н	I	W	X	Υ	E1	E2
NS	218 7	25.75W x 24.25D x 32.5H	2.25	30	1,718	1,897	1,993	2,092	2,186	2,284	2,391	2,496	2,621	2,784	2,426	2,604	3,190	3,453	4,067
NS	216 7	25.75W x 24.25D x 32.5H	2.25	30	1,718	1,897	1,993	2,092	2,186	2,284	2,391	2,496	2,621	2,784	2,426	2,604	3,190	3,453	4,067
NS	218 8	25.75W x 24.25D x 32.5H	2.25	30	1,898	2,075	2,172	2,268	2,365	2,463	2,568	2,676	2,801	2,963	2,605	2,783	3,379	3,632	4,253
NS NS	216 8	25.75W x 24.25D x 32.5H	2.25	30	1,898	2,075	2,172	2,268	2,365	2,463	2,568	2,676	2,801	2,963	2,605	2,783	3,379	3,632	4,253
3. Height	4. Base	,	5. Options			6. Fı	rame Fin	ish									7. Upho	Istery	
																(
Height	Ва	ise	Options				Powde	Coat											
16 LOUNGE HEIGHT 18 GUEST HEIGHT	7	CAST ALUMINUM SWIVEL RETURN	ADJUSTA AG GLIDES CONTRA CT THREAD Dual Upholstery:	ABLE + ASTING		BL BM BR BT CP DB DG DP FG	BRASS BLACK CHAM DARK DARK DUSTY	TWILIGH PAGNE BRONZE GRAY PINK	MI M	G MEA K MIL S MET K NIC V NAV R ORA	ADOW GR K ALLIC SIL KEL /Y ANGE E YELLOW	VER	RR RI SB SG SD SG TC TI TP TG TS TI	USTY RED OFT BLUE AND ERRACOT AUPE EXTURED	TTA		for pro CO	details o ogram an OM/COL	n textile d
	NS NS NS NS Height 16 LOUNGE HEIGHT	NS 216 7 NS 218 8 NS 216 8 NS 216 8 A. Base Height 16 LOUNGE HEIGHT 18 GUEST HEIGHT 7	NS 216 7 25.75W x 24.25D x 32.5H NS 218 8 25.75W x 24.25D x 32.5H NS 216 8 25.75W x 24.25D x 32.5H 3. Height 4. Base Height SWIVEL 16 LOUNGE HEIGHT SWIVEL	NS 216 7 25.75W x 24.25D x 32.5H 2.25	NS 216 7 25.75W x 24.25D x 32.5H 2.25 30	NS 216 7 25.75W x 24.25D x 32.5H 2.25 30 1,718 NS 218 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 3. Height 4. Base 5. Options Height	NS 216 7 25.75W x 24.25D x 32.5H 2.25 30 1,718 1,897 NS 218 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 Height	NS 216 7 25.75W x 24.25D x 32.5H 2.25 30 1,718 1,897 1,993 NS 218 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 3. Height 4. Base 5. Options 6. Frame Finity 6. ADJUSTABLE AG GLIDES +14 CONTRASTING THERAD CONTRASTING	NS 216 7 25.75W x 24.25D x 32.5H 2.25 30 1,718 1,897 1,993 2,092	3. Height A. Base SWIVEL 7 CAST ALUMINUM 8 CAST ALUMINUM 8 CAST ALUMINUM 8 CAST ALUMINUM 9 CONTRASTING CT THEAD 1.7 York 1.7 York 2.8 Sent Upholstery 3.8 Sent Upholstery 4.8 Sent Upholstery 5. Options Dual Upholstery 8.8 BASS 8.8 B	NS 216 7 25.75W x 24.25D x 32.5H 2.25 30 1,718 1,897 1,993 2,092 2,186 2,284 NS 218 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 3. Height 4. Base 5. Options 6. Frame Finish A. Base 5. Options 6. Frame Finish Doublished Finish 6. Frame Finish Contrasting Con	NS 216 7 25.75W x 24.25D x 32.5H 2.25 30 1,718 1,897 1,993 2,092 2,186 2,284 2,391 NS 218 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365 2,463 2,568 NN S 216 8 25.75W x 24.25D x 32.5H 2.25 30 1,898 2,075 2,172 2,268 2,365	3. Height A. Base 5. Options 6. Frame Finish A. Base 5. Options 9. Options 15. LOUNGE HEIGHT 18. GUIST HEIGHT 18. GUIST HEIGHT 18. CAST ALIMINUM 25. SWIVEL 19. CAST ALIMINUM 25. SEET UPPOINTS 10. CONTRASTING 10. CON	NS 216 7 25.75W x 24.25D x 32.5H 2.25 30 1,718 1,897 1,993 2,092 2,186 2,284 2,391 2,496 2,621	NS 216 7 25.75W x 24.25D x 32.6H 2.25 30 1.718 1.897 1.993 2.092 2.186 2.284 2.391 2.496 2.621 2.794 NS 218 8 25.75W x 24.25D x 32.6H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 NS 218 8 25.75W x 24.25D x 32.6H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 NS 218 8 25.75W x 24.25D x 32.6H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 NS 218 8 25.75W x 24.25D x 32.6H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 NS 218 8 25.75W x 24.25D x 32.6H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 NS 218 8 25.75W x 24.25D x 32.6H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 NS 218 8 25.75W x 24.25D x 32.6H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 NS 218 8 25.75W x 24.25D x 32.6H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 NS 218 8 25.75W x 24.25D x 32.6H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 Options Powder Coat 1	NS 216 7 25.75W x 24.25D x 32.5H 2.25 30 1.718 1.897 1.903 2.002 2.186 2.284 2.391 2.496 2.621 2.784 2.426 NS 218 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.963 2.605 NS 216 8 25.75W x 24.25D x 32.5H 2.25 30 1.898 2.075 2.172 2.268 2.365 2.463 2.568 2.676 2.801 2.905 2	*** NS 216 7 25.75W x 24.25D x 32.5H 2.25 30 1,718 1,897 1,993 2,092 2,186 2,284 2,391 2,496 2,621 2,784 2,426 2,604	NS 216 7 25.75W x 24.25D x 32.5H 2.25 30 1.718 1.897 1.963 2.092 2.186 2.284 2.391 2.496 2.821 2.784 2.425 2.604 3.190	3. Height A. Base 5. Options Base Options Date powder Coat p