

stylex

Still Screens

PRICE LIST

Effective November 01, 2023

General Information

TEXTILE PARTNERS & APPROVALS

Textile Partners
To customize your furniture performance needs and design vision, Stylex offers a wide selection of in-graded leathers and textiles from Grades A through Y. We’ve partnered with leading manufacturers on the options, focusing on color, price, durability, and construction. To view our partners and explore our digital carded program with broadly approved textiles, visit **this page**. We stand by these textiles: They’re tried and tested, and will effortlessly fit into any design aesthetic.

Textile Approvals
To view Stylex Approved Textile documents to determine specific product approval status, refer to our Product Tested Textiles documents, available in the Resources section of each product on our website.

CAL 117 AND 133 COMPLIANCE

CAL 117-2013
All Stylex seating satisfies the requirements of CAL 117-2013 so long as one of our standard or in-graded textiles is applied. COM textiles cannot be so guaranteed. Please contact the supplier of COM’s directly to determine the fire retardancy of any COM supplied to us.

CAL 133
Most Stylex seating can be ordered to meet the requirements of CAL 133. When ordering, simply specify “CAL 133 compliance required”. The upcharge for this option is \$54 list per yard. Please refer to the COM yardage of each model to determine the number of yards required. We do frequently require full-scale burn tests in order to certify CAL 133 before an order will be accepted. Such burn tests may increase normal lead times and do carry additional charges. Please contact customer service for details.

CUSTOMER’S OWN MATERIAL/LEATHER

Customer’s own material (COM) and customer’s own leather (COL) will generally be upholstered at the price designated in each product’s price list. Please be advised, however, that we specifically reserve the right to charge a higher price when we determine that special circumstances, such as unusual repeats or challenging materials, present themselves. All orders for custom coverings must be approved by Stylex before they will be accepted for production. To submit proposed textile for approval, please use the COM form **here**.

Special Note:
We assume no responsibility for the durability or tailoring quality of any COM or COL. Directional covers in particular may not meet your satisfaction due to the design of certain products. Please be advised that COM and COL orders are not subject to return. If you have doubts about the ultimate appearance of certain coverings, please order a sample done with that specific COM or COL. In addition, while we inspect textiles for mill imperfections, some are difficult to recognize. We cannot be responsible for defects, color inaccuracies, dye lot variations, or other flaws.

Under no circumstances will we be responsible for COM shortages, flaws, or other such problems. Finally, it is not our responsibility to police the receipt of COM’s in order to meet delivery deadlines, and we assume our customers are aware of any undue delay in the shipment of their COM textiles.

COM textile and COL leather should be sent prepaid to: Stylex
Attn: COM/COL - [Your PO #]
740 Coopertown Road
Delanco, NJ 08075

Clearly mark textile or leather with the dealer’s name, purchase order number, and furniture model number of the item to be covered. Actual furniture orders should include the same information, as well as a description of the textile or leather, including pattern and color number, in order to provide a cross reference.

Yardage requirements shown in the price list are based on non-directional goods of 54” width. Textiles less than 54" wide or those requiring matching (stripes, prints, or large patterned designs) call for additional yardage. We will be happy to supply yardage requirements for large quantities where economies may be realized.

Add the following yardage for stripes, plaids, or patterns with repeats:

Textile Width	Plain Textile	2-14" Repeat	15-24" Repeat	25-27" Repeat	28-36" Repeat
54"	0%	10%	15%	20%	25%
50"	10%	20%	25%	30%	35%
48"	15%	25%	30%	35%	40%
45"	40%	50%	55%	60%	65%
36"	50%	60%	65%	70%	75%

COM/COL FORM

To avoid delay in processing COM orders we request that you submit a sample of your COM textile stapled to this form which can be downloaded **here**. If a textile has a stripe or design, the size of the repeat should be indicated. Please indicate the textile supplier’s name, textile number, and color. Also indicate the Stylex product on which the textile will be used.

The textile supplier must indicate on his shipping labels the dealer name and purchase order number as well as the Stylex model number.

Please Note:
No order may be entered into production or have a shipping date assigned until all related COM is received at the factory.



CENTER OF STRIPE OR DESIGN

TOP	TOP
-----	-----

1. Size of Repeat
2. Textile Supplier
3. Textile Number
4. Color
5. Stylex Product

Still Screens

Contents


COLORS, MATERIALS, AND FINISHES	5	HOW TO ORDER	15
STATEMENT OF LINE	6	UPHOLSTERED SCREENS	17
DIMENSIONS	7	WOOD SCREENS	27
LAYOUT RULES	8	BASEPLATES AND ACCESSORIES	31
POWER	11		

CLICK THE TITLES ABOVE TO NAVIGATE THROUGH THE DOCUMENT
PRODUCT HEADERS ON SUBSEQUENT PAGES LINK BACK TO THIS PAGE


Still Screens

COLORS, MATERIALS, AND FINISHES


POWDER COATED PAINTED METAL




MILK
(MK)




SAND
(SD)




PALE YELLOW
(PY)




YELLOW
(YL)




ORANGE
(OR)




TERRACOTTA
(TC)




RED
(RD)




RED ORANGE
(RO)




RUSTY RED
(RR)




DUSTY PINK
(DP)




MEADOW GREEN
(MG)




FOREST GREEN
(FG)




SOFT BLUE
(SB)



BLUE
(BL)




NAVY
(NV)



LIGHT GRAY
(LG)



CHAMPAGNE
(CP)




METALLIC SILVER
(MS)



NICKEL
(NK)




BRASS
(BR)



TAUPE
(TP)




DARK BRONZE
(DB)




DARK GRAY
(DG)



TEXTURED SLATE
(TS)



BLACK TWILIGHT
(BT)



BLACK MATTE
(BM)

SOLID WOOD



NATURAL MAPLE
(SW83)



OAK
(SW81)


















WALNUT
(SW85)







OPAQUE BLACK
(SW87)

Still Screens

SPECIFICATION GUIDE: STATEMENT OF LINE





OVERVIEW	UPHOLSTERED					WOOD		
Screens 48H, 59H, 70H	15W 	24W 	36W 	48W 		15W 	24W 	36W 
Corners 48H, 59H, 70H	90° Corner 	120° Corner 	3-Way T 	3-Way Y 	4-Way 	90° Corner 		
Transitions 59H, 70H	15W 							
End Caps 48H, 59H, 70H	8W 							


Bases	Small	Large	Large Mid	
				
Accessories and Power	White Board 	Hook 	Duplex Receptacle 	USB 

PRODUCT INFORMATION
Design Fig40
Screens Upholstered screens are constructed with an internal wood frame. Acoustic insulation is adhered to absorb environmental noise and provide a soft, tackable surface. They are fully upholstered with no visible hardware. Wood screens are constructed of solid oak, maple or walnut and finished in a satin clear water-based finish.
Bases Bases are constructed of steel plates and equipped with felt glides. Small and Large bases align with the edge of a screen. The Large Mid Base is centered on the joint between two screens. Screens are assembled with adjustable height plastic glides at each end. Glides on straight screens may be replaced with bases (pg 6) as needed for stability. See page 8 for layout rules. Powder coated baseboards snap into place after screens are ganged together in an assembly. Baseboards and bases may be powder coated in one of our 26 colors.
Ganging Screens are equipped with lower connectors in the baseboard and recessed upper connectors to allow for concealed ganging. As a default, 48"H screens include a single upper connector and 59"H and 70"H screens include two upper connectors per side. Upper connectors may be excluded from one or both sides of a screen for a smooth edge when exposed in an assembly.
Power Power receptacles are offered in 24"W and larger screens. Two different power receptacles are available - dual USB power ports or dual grounded 3-prong electrical outlets. Both options are available in 3 colors. Refer to Power Information on pages 11-14 .
Accessories Coat hooks are constructed of bent steel and may be powder coated in one of our 26 colors. These can be hung anywhere on an upholstered screen. Weight limit 10 lb. Whiteboards are constructed of bent steel and powder coated in a white dry erase finish. These can be hung anywhere on an upholstered screen.
Testing Manufactured to comply with: ANSI/BIFMA X5.6 Panel Systems - Tests
Certifications GREENGUARD Gold LEVEL® 1, BIFMA’s sustainability certification program for furniture

Still Screens









SPECIFICATION GUIDE: DIMENSIONS

DIMENSIONS		UPHOLSTERED					WOOD			
Screens A. Screen Height B. Screen Width C. Screen Thickness		15W A. 48, 59, or 70 B. 15 C. 1.875	24W A. 48, 59, or 70 B. 24.5 C. 1.875	36W A. 48, 59, or 70 B. 36.375 C. 1.875	48W A. 48, 59, or 70 B. 48 C. 1.875		15W A. 48, 59, or 70 B. 15 C. 1.875	24W A. 48, 59, or 70 B. 24.5 C. 1.875	36W A. 48, 59, or 70 B. 36.375 C. 1.875	
Corners A. Corner Height B. Corner Length C. Corner Width D. Corner Thickness		90° Corner A. 48, 59, or 70 B. 8 C. 8 D. 1.875	120° Corner A. 48, 59, or 70 B. 7.3 C. 5.2 D. 1.875	3-Way T A. 48, 59, or 70 B. 14.125 C. 8 D. 1.875	3-Way Y A. 48, 59, or 70 B. 8.5 C. 8.5 D. 1.875	4-Way A. 48, 59, or 70 B. 14 C. 14 D. 1.875	90° Corner A. 48, 59, or 70 B. 8 C. 8 D. 1.875			
Transitions A. Transition Height B. Transition Width C. Transition Thickness		15W A. 59, or 70 B. 15 C. 1.875								
End Caps A. End Cap Height B. End Cap Width C. End Cap Thickness		8W A. 48, 59, or 70 B. 8 C. 1.875								

Bases A. Base Length B. Base Width C. Base Thickness		Small A. 14 B. 6 C. 0.18	Large A. 18 B. 8.5 C. 0.25	Large Mid A. 18 B. 9.25 C. 0.25						
Accessories A. Accessory Height B. Accessory Width C. Accessory Thickness		White Board A. 29.75 B. 36.375 C. 2.5	Hook A. 6.6 B. 1.5 C. 1.5							

Still Screens

SPECIFICATION GUIDE: LAYOUT RULES, LINEAR ASSEMBLIES

LINEAR ASSEMBLIES																										
General Guidelines Large baseplates must be installed at each end of a freestanding or linear assembly. Additional large baseplates are needed along the length of the assembly if it exceeds the maximum length. All dimensions given are the stated widths of screens, not the measured widths. For layout rule purposes, screen widths are 15", 24", 36", and 48", Transition screens are 15", and Endcaps are 8". Endcaps must match adjacent screen height.	Baseplate Layout - Large  LargeLargeLarge	Baseplate Layout - Large Mid  LargeLarge MidLarge	Baseplate Layout - Small  SmallSmall																							
	Freestanding Screens These screens may be used on their own, with Large baseplates: Upholstered 48H x 36W Upholstered 48H x 48W Upholstered 59H x 36W Upholstered 59H x 48W Wood 48H x 36W Wood 59H x 36W 	Minimum Length of Linear Assembly <table><tr><th>Screen Type/Height</th><th>Minimum Length</th></tr><tr><td>Upholstered & Wood 48H</td><td>36"</td></tr><tr><td>Upholstered & Wood 59H</td><td>36"</td></tr><tr><td>Upholstered & Wood 70H</td><td>51"*</td></tr></table> *70H wood screens must be combined with upholstered screens for linear assemblies.  	Screen Type/Height	Minimum Length	Upholstered & Wood 48H	36"	Upholstered & Wood 59H	36"	Upholstered & Wood 70H	51"*	Maximum Length Between Baseplates <table><tr><th>Screen Type/Height</th><th>Maximum Length</th></tr><tr><td>Upholstered 48H</td><td>72"</td></tr><tr><td>Upholstered 59H</td><td>72"</td></tr><tr><td>Upholstered 70H</td><td>63"</td></tr><tr><td>Wood 48H</td><td>60"</td></tr><tr><td>Wood 59H</td><td>51"</td></tr><tr><td>Wood 70H</td><td>51"*</td></tr></table> The maximum overall length for a linear assembly is 192". If a section between baseplates consists of upholstered and wood screens, use the maximum length for wood screens. If multiple height screens are connected between baseplates, use the maximum length for the tallest screen. *70H Wood screens cannot be used alone in linear assemblies. When combined with 70H upholstered screens, no more than half of the total length may be Wood screens.	Screen Type/Height	Maximum Length	Upholstered 48H	72"	Upholstered 59H	72"	Upholstered 70H	63"	Wood 48H	60"	Wood 59H	51"	Wood 70H	51"*	Sample Layout Large Baseplate:  
Screen Type/Height	Minimum Length																									
Upholstered & Wood 48H	36"																									
Upholstered & Wood 59H	36"																									
Upholstered & Wood 70H	51"*																									
Screen Type/Height	Maximum Length																									
Upholstered 48H	72"																									
Upholstered 59H	72"																									
Upholstered 70H	63"																									
Wood 48H	60"																									
Wood 59H	51"																									
Wood 70H	51"*																									

Still Screens

SPECIFICATION GUIDE: LAYOUT RULES, CORNER ASSEMBLIES

CORNER ASSEMBLIES


General Guidelines
Small baseplates may be used instead of large baseplates when a corner is included in an assembly.

Baseplates are required at the end of an assembly when the distance to a corner from that end is 30” or greater.


Endcaps and corners must match adjacent screen height. All connections on a corner must be used.

All dimensions given are the stated widths of screens, not the measured widths. For layout rule purposes, screen widths are 15”, 24”, 36”, and 48”, Transition screens are 15”, and Endcaps are 8”.

Endcap panels should not be included to meet minimum length requirements in corner panel layouts.




T-Shaped Assemblies



L-Shaped Assemblies

Applications including a 90° or 120° corner



Screen Height	Minimum Length
Upholstered & Wood 48”H	30”
Upholstered & Wood 59”H	30”
Upholstered & Wood 70”H	36”

Minimum lengths are based on the tallest screen in the assembly.

One side of an L-shaped layout may be shorter than the minimum length but Large Bases must be used.

Still Screens

SPECIFICATION GUIDE: LAYOUT RULES, SCREEN HEIGHT AND CONNECTORS

SCREEN HEIGHT AND CONNECTORS

General Guidelines
Corners and endcaps only connect to screens of the same height.


Connector Right (CR) or Connector Left (CL) are specified to eliminate all connectors on a side for a smooth, finished edge.

Low Connector option (LR, LL, LB) is specified on a 59H or 70H screen when connecting to a different height screen.

Connector locations are determined from Side A of a screen.

Sample Connector Selections


See [How to Order](#) for connector selection ordering steps.



Still Screens

SPECIFICATION GUIDE: POWER

POWER SPECIFICATION




An end-infeed may enter any screen located at the end of an assembly.

A minimum 36" wide screen is required when a corded infeed and receptacle are specified in the same screen.


A hardwired infeed may connect to a receptable in any sized screen.

A. Receptacle Options

Receptacles are offered as both Duplex (3-pronged outlets) or USB power ports. Three color options are available: black, gray, and white. Select these options when configuring a specific screen to include a receptacle in the layout.



Duplex




USB




Color Options

B. Infeed Options


Power is supplied to the Still system with one of multiple infeed options. A hardwired infeed is installed by an electrician and connects the system directly to the building's power supply. A corded infeed is also available with a three-pronged plug for connection to a 20amp socket. Multiple infeeds may be used if additional capacity is needed. Refer to your installer and local code requirements to specify the appropriate option.



End-Infeed : Corded
UL Recognized



Side-Infeed : Hardwired
UL Listed



End-Infeed : Hardwired
UL Listed



*not available with liquid-tight conduit



90° Plug




Straight Plug




C. Internal Jumper Options


Jumpers are used to connect receptacles within the Still system. Stylex will determine jumper quantities and lengths based on layout and infeed location. Jumper material selection is based on building and local requirements. Please refer to your installer and local code requirements to specify the correct option for your needs.



Metal Conduit
(Standard)



Metal Jacketed Liquid-Tight




Nonmetallic Liquid-Tight

Still Screens


SPECIFICATION GUIDE: POWER, BENDS AND SPLITS

BENDS AND SPLITS



A. Bends at Corners

Jumpers are flexible and may be routed through corners. 90°, 120°, Three-Way and Four-Way Corner screens may implement jumper Bends.




B. Power Split at Three & Four Way Corners

A power system may split in two or three directions to distribute power at corners. An H-Connector must be used in a straight screen to split power, joining two jumpers together. A Receptacle Connector is used to connect a receptacle or Side-infeed to an H-Connector.








Three-Way Corner screens may implement jumper Bends and 1-2 Splits. Four-Way Corner screens may implement jumper Bends, 1-2 Splits, and 1-3 Splits.

A split must be located in the first screen adjoining a corner or the next screen 24W or greater. A receptacle or baseplate cannot be located between a split and a corner.



Still Screens

SPECIFICATION GUIDE: POWER PRICING

COMPONENT		MODEL OPTIONS	MODEL CODE	(XXX)=LENGTH (IN)	PRICE	DESCRIPTION AND SPECIFICATION GUIDELINES
Infeed - Side/Hardwired			PSB4IHS	072	267	This type of infeed uses 0.5" liquid tight conduit, entering the center of the baseboard on the selected screen. 72" is left exposed, and may be cut to length during installation. Hardwired electrical systems may be wired to 1 or 2 building circuits allowing for a maximum of 26 receptacles. Hardwired Infeed is UL Listed as a Manufactured Wiring System (UL 183)
Infeed - End/Hardwired			PSB4IHE	(XXX)	275	This type of infeed uses metal conduit wrapped in mesh sleeving and enters the end of the screen system with a configurable length up to 72". Hardwired electrical systems may be wired to 1 or 2 building circuits allowing for a maximum of 26 receptacles. Hardwired Infeed is UL Listed as a Manufactured Wiring System (UL 183).
Infeed - End/Corded		90° Plug 	PSB4ICN	*	307	This type of infeed uses metal conduit within the screen system, and enters the end of the screen system with a 17" long corded 20amp plug. It is not available with liquid-tight conduit. Corded systems may only be connected to 1 circuit allowing for a maximum of 13 receptacles. Corded Infeed is UL Recognized as an Office Furnishing Accessory (UL 1286)
		Straight Plug 	PSB4ICS	*	198	*Stylex will determine this specification, and customer service will enter the required length in inches as the last characters in the model code.
Receptacle - Duplex		Duplex Black	PSB4DB1 / PSB4DB2		245	Each Duplex receptacle has two 3-prong outlets. There is a 13 Duplex Receptacle limit on 1 circuit systems for each infeed. The limit is increased to 26 on 2 circuit systems. The last digit in the model code indicates the circuit number.
		Duplex Gray	PSB4DG1 / PSB4DG2		253	
		Duplex White	PSB4DW1 / PSB4DW2		253	
Receptacle - USB		USB Black	PSB4URB1		401	Each USB receptacle has 2 USB power ports. There is a 13 USB Receptacle limit for each infeed, even on 2 circuit systems. The last digit in the model code indicates the circuit number.
		USB Gray	PSB4URG1		421	
		USB White	PSB4URW1		421	
Jumpers		Metal Conduit	PSB4JMC	(xxx)	2/inch	Jumper material selection is based on building and local requirements. Please refer to your installer and local code requirements to specify the correct option for your needs. Jumper pricing is based on the total length of screens with power in a Still layout. Add up the width of screens that have receptacles, jumpers, and infeeds; enter the total in inches as the last 3 characters in the model code selected. This cost will represent the price for all jumpers in a layout. Stylex will determine actual jumper quantities and individual lengths based on layout and infeed location. Exact screen widths are 15", 24.5", 36.375", and 48". For power pricing purposes use the following widths: 15", 24", 36", and 48"
		Non-Metallic Liquid Tight Conduit	PSB4JLT	(xxx)	2/inch	
		Metallic Liquid Tight Conduit	PSB4JLM	(xxx)	2/inch	
Bends and Splits		Bend	PSB4STB		40	Bends and Splits occur when jumpers go through Corner Screens. Irrespective of the corner screen: If power is routed in 2 directions, it is considered a Bend. If power is routed in 3 directions, it is considered a Split 1-2. If power is routed in 4 directions, it is considered a Split 1-3. Add up each instance of bends and splits that jumpers run through. Each type has a specific price based on required internal components. Stylex will determine actual parts and quantities needed to create the layout.
		Split 1-2	PSB4ST2		108	
		Split 1-3	PSB4ST3		245	

To Order Select Below

1. Select Infeed type.

2. Select Receptacle type and quantity.

3. Add up screen widths that have Receptacles, Jumpers, and Infeeds.


4. Add Bends and Splits

Please refer to each component description for specific instructions and guidelines.



Still Screens

SPECIFICATION GUIDE: POWER LAYOUT EXAMPLE

EXAMPLE	SPECIFICATION STEPS		COMPONENT	MODEL OPTIONS	MODEL CODE	PRICE	QTY	EXTENDED COST
	A	Step 1 Identify infeed location and type. Please follow the specification guidelines on page 13 .	Infeed Hardwired, Side		PSB4IHS072	267	1	267
	B	Step 2 Identify receptacle locations and select options and quantities. Please follow the specification guidelines on page 13 .	Receptacle Duplex	Duplex Black	PSB4DB1	245	2	490
			Receptacle USB	USB Black	PSB4URB	401	2	802
	C	Step 3 Add up screen widths with power and select which jumper type is appropriate based on the specification guidelines on page 13 . Exact screen widths are 15", 24.5", 36.375", and 48". For power pricing purposes use the following widths: 15", 24", 36", and 48". Ex. (36" x qty. 5) + (48" x qty. 3) = 324"	Jumper	Liquid Tight	PSB4JLT324	2/inch	324	648
	D	Step 4 Add up each bend and split that jumpers are routed through. Please follow the specification guidelines on page 13 .	Bends and Splits	Bend	PSB4STB	40	1	40
				Split 1-2	PSB4ST2	108	1	108
				Split 1-4	PSB4ST3	245	1	245
TOTAL COST							2,600	

To Order Select Below

1. Select Infeed type.

2. Select Receptacle type and quantity.

3. Add up screen widths that have Receptacles, Jumpers, and Infeeds.

4. Add Bends and Splits

Please refer to each component description for specific instructions and guidelines.



Still Screens

SPECIFICATION GUIDE: HOW TO ORDER

MODEL CODE BREAKDOWN - SCREENS

Sample Model Code: STU01H59W36CLBLPACOM

1. Series	2. Model	3. Height	4. Width	5. Connector Position	6. Powder Coat Finish	7. Power Options	8. Textile/Wood Finish
ST	U01	H59	W36	CL	BL	PA	COM
Series ST STILL	Model Upholstered Screen U01 UPHOLSTERED SCREEN U02 TRANSITION, RADIUS U10 END CAP, RADIUS U20 90 DEGREE CORNER U21 120 DEGREE CORNER U22 3-WAY T CORNER U23 3-WAY Y CORNER U24 4-WAY CORNER Wood Screen W01 WOOD SCREEN W02 90 DEGREE CORNER	Height H48 48”H H59 59”H H70 70”H	Width W15 15”W W24 24”W W36 36”W W48 48”W Note: W48 only available for Upholstered Screens	Connector Position CL LEFT CONNECTOR ONLY CR RIGHT CONNECTOR ONLY ~ BOTH CONNECTORS LL LOW CONNECTOR, LEFT LR LOW CONNECTOR, RIGHT LB LOW CONNECTOR, BOTH CF NO CONNECTOR	Powder Coat Finish Standard Powder Coat BL BLUE BM BLACK MATTE BR BRASS BT BLACK TWILIGHT CP CHAMPAGNE DB DARK BRONZE DG DARK GRAY DP DUSTY PINK FG FOREST GREEN LG LIGHT GRAY MG MEADOW GREEN MK MILK MS METALLIC SILVER NK NICKLE NV NAVY OR ORANGE PY PALE YELLOW RD RED RO RED ORANGE RR RUSTY RED SB SOFT BLUE SD SAND TC TERRACOTTA TP TAUPE TS TEXTURED SLATE YL YELLOW	Power Options PA POWER POSITION A PB POWER POSITION B ~ NO POWER PS POWER SPLIT IE INFEEED END	Textile Grades COM CUSTOMER’S OWN MATERIAL A GRADE A B GRADE B C GRADE C D GRADE D E GRADE E F GRADE F G GRADE G H GRADE H I GRADE I J GRADE J K GRADE K L GRADE L M GRADE M Wood Finish SW81 OAK SW83 NATURAL MAPLE SW85 WALNUT SW87 OPAQUE BLACK

Still Screens

SPECIFICATION GUIDE: HOW TO ORDER


MODEL CODE BREAKDOWN - BASES & ACCESSORIES

Sample Model Code: STB01BL

1. Series	2. Model	3. Powder Coat Finish
ST	B01	BL
Series ST STILL	Model Base B01 SMALL BASE B02 LARGE BASE B03 LARGE BASE, MID Accessories A01 COAT HOOK A02 WHITE BOARD Note: White board only available in dry erase paint.	Powder Coat Finish Standard Powder Coat BL BLUE BM BLACK MATTE BR BRASS BT BLACK TWILIGHT CP CHAMPAGNE DB DARK BRONZE DG DARK GRAY DP DUSTY PINK FG FOREST GREEN LG LIGHT GRAY MG MEADOW GREEN MK MILK MS METALLIC SILVER NK NICKLE NV NAVY OR ORANGE PY PALE YELLOW RD RED RO RED ORANGE RR RUSTY RED SB SOFT BLUE SD SAND TC TERRACOTTA TP TAUPE TS TEXTURED SLATE YL YELLOW

Still Screens

UPHOLSTERED SCREENS: 48IN HEIGHT

								Textile Upholstery Grades													
TITLE		SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	COM	A	B	C	D	E	F	G	H	I	J	K	L	M
Upholstered Screen, 48in Height, 15in Width		ST	U01	H48	W15	15W x 1.88D x 48H	1.7	864	981	1,045	1,106	1,169	1,233	1,302	1,371	1,454	1,558	1,686	1,811	1,938	2,064
Upholstered Screen, 48in Height, 24in Width		ST	U01	H48	W24	24.5W x 1.88D x 48H	3.3	995	1,227	1,356	1,478	1,605	1,733	1,871	2,010	2,174	2,384	2,639	2,890	3,144	3,394
Upholstered Screen, 48in Height, 36in Width		ST	U01	H48	W36	36.4W x 1.88D x 48H	3.3	1,225	1,458	1,586	1,709	1,836	1,962	2,102	2,241	2,406	2,615	2,869	3,120	3,375	3,626
Upholstered Screen, 48in Height, 48in Width		ST	U01	H48	W48	48W x 1.88D x 48H	3.3	1,275	1,507	1,634	1,758	1,885	2,012	2,150	2,290	2,454	2,664	2,918	3,169	3,422	3,674

To Order Select Below

1. Series/Model/Height

STU01H48

Still Upholstered Screen, 48in Height

2. Width

Width
W15 15" W
W24 24" W
W36 36" W
W48 48" W

3. Connectors

Connectors
CL LEFT CONNECTOR ONLY
CR RIGHT CONNECTOR ONLY
CF NO CONNECTOR

A connector is considered Left or Right when facing Side A. 48in screens include low connectors on both sides as a default. CF - No Connector is not available on all sizes. Refer to **pages 8-10** for layout rules.

4. Powder Coat Finish

Standard Powder Coated Metal	
BL	BLUE
BM	BLACK MATTE
BR	BRASS
BT	BLACK TWILIGHT
CP	CHAMPAGNE
DB	DARK BRONZE
DG	DARK GRAY
DP	DUSTY PINK
FG	FOREST GREEN
LG	LIGHT GRAY
MG	MEADOW GREEN
MK	MILK
MS	METALLIC SILVER
NK	NICKEL
NV	NAVY
OR	ORANGE
PY	PALE YELLOW
RD	RED
RO	RED ORANGE
RR	RUSTY RED
SB	SOFT BLUE
SD	SAND
TC	TERRACOTTA
TP	TAUPE
TS	TEXTURED SLATE
YL	YELLOW

5. Power

Power
PA POWER POSITION A
PB POWER POSITION B
PS POWER SPLIT
IE INFEEED END

Refer to **pages 11-14** for an explanation of Power Selection.

PS is only required when power is splitting in a 24"W screen.

6. Upholstery



See **general information section** for details on textile program and COM/COL information.

Still textiles must be applied up the roll.

For tackablity, please confirm your textile is tackable directly with the manufacturer.


Still Screens

UPHOLSTERED SCREENS: 59IN HEIGHT

								Textile Upholstery Grades														
TITLE		SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	COM	A	B	C	D	E	F	G	H	I	J	K	L	M	
Upholstered Screen, 59in Height, 15in Width		ST	U01	H59	W15	15W x 1.88D x 59H	2.2	918	1,072	1,157	1,238	1,323	1,408	1,500	1,593	1,703	1,843	2,012	2,180	2,349	2,517	
Upholstered Screen, 59in Height, 24in Width		ST	U01	H59	W24	24.5W x 1.88D x 59H	3.9	1,084	1,356	1,504	1,647	1,796	1,944	2,106	2,267	2,460	2,704	3,001	3,293	3,590	3,883	
Upholstered Screen, 59in Height, 36in Width		ST	U01	H59	W36	36.4W x 1.88D x 59H	3.9	1,335	1,605	1,755	1,898	2,046	2,195	2,356	2,518	2,710	2,954	3,251	3,544	3,841	4,134	
Upholstered Screen, 59in Height, 48in Width		ST	U01	H59	W48	48W x 1.88D x 59H	3.9	1,393	1,663	1,812	1,956	2,104	2,253	2,415	2,577	2,768	3,014	3,311	3,603	3,900	4,193	

To Order Select Below


1. Series/Model/Height



STU01H59


Still Upholstered Screen, 59in Height

2. Width



W15	15" W
W24	24" W
W36	36" W
W48	48" W


3. Connectors



CL	LEFT CONNECTOR ONLY
CR	RIGHT CONNECTOR ONLY
LL	LOW CONNECTOR, LEFT
LR	LOW CONNECTOR, RIGHT
LB	LOW CONNECTOR, BOTH
CF	NO CONNECTOR


A connector is considered Left or Right when facing Side A. 59in screens include two upper connectors per side as a default. "Low Connector" is specified when connecting to a different height screen. CF - No Connector is not available on all sizes. Refer to **pages 8-10** for layout rules.

4. Powder Coat Finish



BL	BLUE	NK	NICKEL
BM	BLACK MATTE	NV	NAVY
BR	BRASS	OR	ORANGE
BT	BLACK TWILIGHT	PY	PALE YELLOW
CP	CHAMPAGNE	RD	RED
DB	DARK BRONZE	RO	RED ORANGE
DG	DARK GRAY	RR	RUSTY RED
DP	DUSTY PINK	SB	SOFT BLUE
FG	FOREST GREEN	SD	SAND
LG	LIGHT GRAY	TC	TERRACOTTA
MG	MEADOW GREEN	TP	TAUPE
MK	MILK	TS	TEXTURED SLATE
MS	METALLIC SILVER	YL	YELLOW

5. Power




PA	POWER POSITION A
PB	POWER POSITION B
PS	POWER SPLIT
IE	INFEED END

Refer to **pages 11-14** for an explanation of Power Selection.

PS is only required when power is splitting in a 24"W screen.

6. Upholstery




See **general information section** for details on textile program and COM/COL information.

Still textiles must be applied up the roll.

For tackability, please confirm your textile is tackable directly with the manufacturer.

Still Screens

UPHOLSTERED SCREENS: 70IN HEIGHT

								Textile Upholstery Grades													
TITLE		SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	COM	A	B	C	D	E	F	G	H	I	J	K	L	M
Upholstered Screen, 70in Height, 15in Width		ST	U01	H70	W15	15W x 1.88D x 70H	2.8	995	1,189	1,295	1,399	1,504	1,611	1,725	1,841	1,978	2,153	2,365	2,574	2,785	2,995
Upholstered Screen, 70in Height, 24in Width		ST	U01	H70	W24	24.5W x 1.88D x 70H	5.0	1,159	1,507	1,698	1,883	2,074	2,265	2,472	2,680	2,926	3,241	3,624	3,999	4,381	4,758
Upholstered Screen, 70in Height, 36in Width		ST	U01	H70	W36	36.4W x 1.88D x 70H	5.0	1,454	1,801	1,993	2,178	2,368	2,560	2,767	2,975	3,221	3,535	3,918	4,293	4,676	5,051
Upholstered Screen, 70in Height, 48in Width		ST	U01	H70	W48	48W x 1.88D x 70H	5.0	1,537	1,886	2,078	2,263	2,453	2,643	2,852	3,060	3,306	3,620	4,002	4,379	4,761	5,136

To Order Select Below

1. Series/Model/Height

STU01H70

Still Upholstered Screen, 70in Height

2. Width

W15	15" W
W24	24" W
W36	36" W
W48	48" W

3. Connectors

CL	LEFT CONNECTOR ONLY
CR	RIGHT CONNECTOR ONLY
LL	LOW CONNECTOR, LEFT
LR	LOW CONNECTOR, RIGHT
LB	LOW CONNECTOR, BOTH

A connector is considered Left or Right when facing Side A. 70in screens include two upper connectors per side as a default. "Low Connector" is specified when connecting to a lower height screen. Refer to **pages 8-10** for layout rules.

4. Powder Coat Finish

BL	BLUE	NK	NICKEL
BM	BLACK MATTE	NV	NAVY
BR	BRASS	OR	ORANGE
BT	BLACK TWILIGHT	PY	PALE YELLOW
CP	CHAMPAGNE	RD	RED
DB	DARK BRONZE	RO	RED ORANGE
DG	DARK GRAY	RR	RUSTY RED
DP	DUSTY PINK	SB	SOFT BLUE
FG	FOREST GREEN	SD	SAND
LG	LIGHT GRAY	TC	TERRACOTTA
MG	MEADOW GREEN	TP	TAUPE
MK	MILK	TS	TEXTURED SLATE
MS	METALLIC SILVER	YL	YELLOW

5. Power

PA	POWER POSITION A
PB	POWER POSITION B
PS	POWER SPLIT
IE	INFEED END

Refer to **pages 11-14** for an explanation of Power Selection.

PS is only required when power is splitting in a 24"W screen.

6. Upholstery

See **general information section** for details on textile program and COM/COL information.

Still textiles must be applied up the roll.

For tackability, please confirm your textile is tackable directly with the manufacturer.

Still Screens

UPHOLSTERED SCREENS: TRANSITIONS

							Textile Upholstery Grades														
TITLE	SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	COM	A	B	C	D	E	F	G	H	I	J	K	L	M	
Upholstered Screen, 59in Height, Transition 	ST	U02	H59	W15	8W x 1.88D x 59H	2.2	918	1,072	1,157	1,238	1,323	1,408	1,500	1,593	1,703	1,843	2,012	2,180	2,349	2,517	
Upholstered Screen, 70in Height, Transition 	ST	U02	H70	W15	8W x 1.88D x 70H	2.8	989	1,182	1,288	1,391	1,498	1,603	1,719	1,834	1,972	2,146	2,358	2,567	2,779	2,988	

To Order Select Below

1. Series/Model/Height

STU02H59

Still Upholstered Screen, 59in Height, Transition

STU02H70

Still Upholstered Screen, 70in Height, Transition

2. Width

W15

15" W

3. Connectors

CL

LEFT CONNECTOR ONLY

LL

LOW CONNECTOR, LEFT

The radius is on the right side when facing Side A.

Specify “LL” when connecting to a different height screen on the left.

59H and 70H Transition Screens have a single low connector on the right side as a default. “LR” and “LB” are not available.

4. Powder Coat Finish

BL

BLUE

BM

BLACK MATTE

BR

BRASS

BT

BLACK TWILIGHT

CP

CHAMPAGNE

DB

DARK BRONZE

DG

DARK GRAY

DP

DUSTY PINK

FG

FOREST GREEN

LG

LIGHT GRAY

MG

MEADOW GREEN

MK

MILK

MS

METALLIC SILVER

NK

NICKEL

NV

NAVY

OR

ORANGE

PY

PALE YELLOW

RD

RED

RO

RED ORANGE

RR

RUSTY RED

SB

SOFT BLUE

SD

SAND

TC

TERRACOTTA

TP

TAUPE

TS

TEXTURED SLATE

YL

YELLOW

5. Power

IE

INFEED END (CORDED)

Refer to **pages 11-14** for an explanation of Power Selection.

PS is only required when power is splitting in a 24"W screen.

6. Upholstery

See **general information section** for details on textile program and COM/COL information.

Still textiles must be applied up the roll.

For tackability, please confirm your textile is tackable directly with the manufacturer.

Still Screens

UPHOLSTERED SCREENS: END CAP

								Textile Upholstery Grades													
TITLE	SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	COM	A	B	C	D	E	F	G	H	I	J	K	L	M	
Upholstered Screen, 48in Height, End Cap	ST	U10	H48		8W x 1.88D x 48H	1.7	537	652	715	778	841	905	974	1,044	1,126	1,231	1,358	1,484	1,611	1,736	
Upholstered Screen, 59in Height, End Cap	ST	U10	H59		8W x 1.88D x 59H	2.2	573	728	813	896	981	1,065	1,158	1,250	1,360	1,499	1,670	1,836	2,007	2,172	
Upholstered Screen, 70in Height, End Cap	ST	U10	H70		8W x 1.88D x 70H	2.8	608	800	907	1,009	1,116	1,221	1,337	1,452	1,590	1,764	1,976	2,185	2,397	2,606	

To Order Select Below

1. Series/Model/Height

STU10H48

Still Upholstered Screen, 48in Height, End Cap

STU10H59

Still Upholstered Screen, 59in Height, End Cap

STU10H70

Still Upholstered Screen, 70in Height, End Cap

2. Connectors

No Connectors Required

The radius is on the right side when facing Side A. Refer to **pages 8-10** for layout rules.

3. Powder Coat Finish

Standard Powder Coated Metal

BLBLUE

BMBLACK MATTE

BRBRASS

BTBLACK TWILIGHT

CPCHAMPAGNE

DBDARK BRONZE

DGDARK GRAY

DPDUSTY PINK

FGFOREST GREEN

LGLIGHT GRAY

MGMEADOW GREEN

MKMILK

MSMETALLIC SILVER

NKNICKEL

NVNAVY

ORORANGE

PYPALE YELLOW

RDRED

RORED ORANGE

RRRUSTY RED

SBSOFT BLUE

SDSAND

TC TERRACOTTA

TPTAUPE

TS TEXTURED SLATE

YLYELLOW

4. Power

Power

IEINFEED END (CORDED)

Refer to **pages 11-14** for an explanation of Power Selection.

PS is only for textiles that are applied up the roll. in a 24"W screen.

Endcaps are not tackable.

5. Upholstery

Upholstery

See **general information section** for details on textile program and **COM/COL information**.

Still textiles must be applied up the roll.

For tackability, please confirm your textile is tackable directly with the manufacturer.

Still Screens

UPHOLSTERED SCREENS: 90 DEGREE CORNER

								Textile Upholstery Grades													
TITLE	SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	COM	A	B	C	D	E	F	G	H	I	J	K	L	M	
Upholstered Screen, 48in Height, 90 Degree 	ST	U20	H48		8W x 8D x 48H	1.7	788	903	967	1,029	1,092	1,156	1,224	1,294	1,377	1,481	1,608	1,734	1,861	1,987	
Upholstered Screen, 59in Height, 90 Degree 	ST	U20	H59		8W x 8D x 59H	2.2	948	1,103	1,188	1,271	1,356	1,440	1,532	1,624	1,734	1,873	2,043	2,210	2,380	2,547	
Upholstered Screen, 70in Height, 90 Degree 	ST	U20	H70		8W x 8D x 70H	2.8	988	1,181	1,287	1,390	1,496	1,602	1,718	1,832	1,970	2,144	2,356	2,566	2,778	2,987	

To Order Select Below

1. Series/Model/Height

STU20H48

Still Upholstered Screen, 48in Height, 90° Corner

STU20H59

Still Upholstered Screen, 59in Height,90° Corner

STU20H70

Still Upholstered Screen, 70in Height, 90° Corner

2. Connectors

No Connectors Required

Refer to **pages 8-10** for layout rules.

3. Powder Coat Finish

Standard Powder Coated Metal

BL

BLUE

BM

BLACK MATTE

BR

BRASS

BT

BLACK TWILIGHT

CP

CHAMPAGNE

DB

DARK BRONZE

DG

DARK GRAY

DP

DUSTY PINK

FG

FOREST GREEN

LG

LIGHT GRAY

MG

MEADOW GREEN

MK

MILK

MS

METALLIC SILVER

NK

NICKEL

NV

NAVY

OR

ORANGE

PY

PALE YELLOW

RD

RED

RO

RED ORANGE

RR

RUSTY RED

SB

SOFT BLUE

SD

SAND

TC

TERRACOTTA

TP

TAUPE

TS

TEXTURED SLATE

YL

YELLOW

4. Power

Power

IE

INFEED END (CORDED)

Refer to **pages 11-14** for an explanation of Power Selection.

PS is only for textiles that are applied in the roll.
in a 24"W screen.
Corners are not tackable.

5. Upholstery

Upholstery

See **general information section** for details on textile program and **COM/COL information**.

Still textiles must be applied up the roll.

For tackability, please confirm your textile is tackable directly with the manufacturer.

Still Screens

UPHOLSTERED SCREENS: 120 DEGREE CORNER

							Textile Upholstery Grades														
TITLE	SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	COM	A	B	C	D	E	F	G	H	I	J	K	L	M	
Upholstered Screen, 48in Height, 120 Degree 	ST	U21	H48		5.2W x 7.3D x 48H	1.7	722	838	902	964	1,027	1,091	1,160	1,230	1,313	1,416	1,544	1,670	1,797	1,923	
Upholstered Screen, 59in Height, 120 Degree 	ST	U21	H59		5.2W x 7.3D x 59H	2.2	833	987	1,072	1,154	1,238	1,323	1,416	1,508	1,618	1,758	1,928	2,095	2,265	2,432	
Upholstered Screen, 70in Height, 120 Degree 	ST	U21	H70		5.2W x 7.3D x 70H	2.8	870	1,064	1,171	1,274	1,379	1,486	1,600	1,716	1,853	2,028	2,240	2,449	2,661	2,870	

To Order Select Below

1. Series/Model/Height

STU21H48

Still Upholstered Screen, 48in Height, 120° Corner

STU21H59

Still Upholstered Screen, 59in Height,120° Corner

STU21H70

Still Upholstered Screen, 70in Height, 120° Corner

2. Connectors

No Connectors Required

Refer to **pages 8-10** for layout rules.

3. Powder Coat Finish

BLBLUE

BMBLACK MATTE

BRBRASS

BTBLACK TWILIGHT

CPCHAMPAGNE

DBGDARK BRONZE

DGDARK GRAY

DPDUSTY PINK

FGFOREST GREEN

LGLIGHT GRAY

MGMEADOW GREEN

MKMILK

MSMETALLIC SILVER

NKNICKEL

NVNAVY

ORORANGE

PYPALE YELLOW

RDRED

RORED ORANGE

RRRUSTY RED

SBSOFT BLUE

SDSAND

TCERRACOTTA

TPTAUPE

TSTEXTURED SLATE

YLYELLOW

4. Power

Power

IEINFEED END (CORDED)

Refer to **pages 11-14** for an explanation of Power Selection.

PS is only for textiles that are applied in the roll. in a 24"W screen.

Corners are not tackable.

5. Upholstery

Upholstery

See **general information section** for details on textile program and **COM/COL information**.

Still textiles must be applied up the roll.

For tackability, please confirm your textile is tackable directly with the manufacturer.

Still Screens

UPHOLSTERED SCREENS: 3-WAY T CORNER

								Textile Upholstery Grades													
TITLE	SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	COM	A	B	C	D	E	F	G	H	I	J	K	L	M	
Upholstered Screen, 48in Height, 3-Way T 	ST	U22	H48		8W x 14.13D x 48H	1.7	1,176	1,293	1,357	1,418	1,481	1,545	1,614	1,683	1,766	1,870	1,998	2,123	2,250	2,376	
Upholstered Screen, 59in Height, 3-Way T 	ST	U22	H59		8W x 14.13D x 59H	2.2	1,412	1,568	1,651	1,734	1,819	1,904	1,996	2,087	2,198	2,337	2,507	2,674	2,844	3,010	
Upholstered Screen, 70in Height, 3-Way T 	ST	U22	H70		8W x 14.13D x 70H	2.8	1,476	1,671	1,776	1,880	1,986	2,092	2,207	2,323	2,460	2,634	2,847	3,056	3,267	3,476	

To Order Select Below

1. Series/Model/Height

STU22H48

Still Upholstered Screen, 48in Height, 3-Way T

STU22H59

Still Upholstered Screen, 59in Height, 3-Way T

STU22H70

Still Upholstered Screen, 70in Height, 3-Way T

2. Connectors

No Connectors Required

Refer to **pages 8-10** for layout rules.

3. Powder Coat Finish

BL

BLUE

BM

BLACK MATTE

BR

BRASS

BT

BLACK TWILIGHT

CP

CHAMPAGNE

DB

DARK BRONZE

DG

DARK GRAY

DP

DUSTY PINK

FG

FOREST GREEN

LG

LIGHT GRAY

MG

MEADOW GREEN

MK

MILK

MS

METALLIC SILVER

NK

NICKEL

NV

NAVY

OR

ORANGE

PY

PALE YELLOW

RD

RED

RO

RED ORANGE

RR

RUSTY RED

SB

SOFT BLUE

SD

SAND

TC

TERRACOTTA

TP

TAUPE

TS

TEXTURED SLATE

YL

YELLOW

4. Power

IE

INFEED END (CORDED)

Refer to **pages 11-14** for an explanation of Power Selection.

PS is only for textiles where power is applied in a 24"W screen.

Corners are not tackable.

5. Upholstery

Upholstery

See **general information section** for details on textile program and **COM/COL information**.

Still textiles must be applied up the roll.

For tackability, please confirm your textile is tackable directly with the manufacturer.

24

Still Screens

UPHOLSTERED SCREENS: 3-WAY Y CORNER

							Textile Upholstery Grades														
TITLE	SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	COM	A	B	C	D	E	F	G	H	I	J	K	L	M	
Upholstered Screen, 48in Height, 3-Way Y 	ST	U23	H48		8.5W x 8.5D x 48H	1.7	1,124	1,239	1,304	1,365	1,429	1,492	1,561	1,631	1,714	1,818	1,945	2,071	2,198	2,324	
Upholstered Screen, 59in Height, 3-Way Y 	ST	U23	H59		8.5W x 8.5D x 59H	2.2	1,271	1,424	1,509	1,592	1,676	1,761	1,854	1,946	2,056	2,196	2,366	2,533	2,703	2,869	
Upholstered Screen, 70in Height, 3-Way Y 	ST	U23	H70		8.5W x 8.5D x 70H	2.8	1,331	1,525	1,631	1,733	1,840	1,945	2,060	2,177	2,313	2,489	2,700	2,909	3,121	3,330	

To Order Select Below

1. Series/Model/Height

STU23H48

Still Upholstered Screen, 48in Height, 3-Way Y

STU23H59

Still Upholstered Screen, 59in Height, 3-Way Y

STU23H70

Still Upholstered Screen, 70in Height, 3-Way Y

2. Connectors

No Connectors Required

Refer to **pages 8-10** for layout rules.

3. Powder Coat Finish

BL

BLUE

BM

BLACK MATTE

BR

BRASS

BT

BLACK TWILIGHT

CP

CHAMPAGNE

DB

DARK BRONZE

DG

DARK GRAY

DP

DUSTY PINK

FG

FOREST GREEN

LG

LIGHT GRAY

MG

MEADOW GREEN

MK

MILK

MS

METALLIC SILVER

NK

NICKEL

NV

NAVY

OR

ORANGE

PY

PALE YELLOW

RD

RED

RO

RED ORANGE

RR

RUSTY RED

SB

SOFT BLUE

SD

SAND

TC

TERRACOTTA

TP

TAUPE

TS

TEXTURED SLATE

YL

YELLOW

4. Power

IE

INFEED END (CORDED)

Refer to **pages 11-14** for an explanation of Power Selection.

PS is only for textiles that are applied in the roll.
in a 24"W screen.
Corners are not tackable.

5. Upholstery

Upholstery

See **general information section** for details on textile program and COM/COL information.

Still textiles must be applied up the roll.

For tackability, please confirm your textile is tackable directly with the manufacturer.

25

Still Screens

UPHOLSTERED SCREENS: 4-WAY CORNER

								Textile Upholstery Grades													
TITLE		SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	YDG	COM	A	B	C	D	E	F	G	H	I	J	K	L	M
Upholstered Screen, 48in Height, 4-Way		ST	U24	H48		14W x 14D x 48H	2.2	1,587	1,742	1,826	1,909	1,994	2,079	2,170	2,263	2,372	2,512	2,682	2,849	3,019	3,186
Upholstered Screen, 59in Height, 4-Way		ST	U24	H59		14W x 14D x 59H	2.8	1,877	2,071	2,178	2,280	2,385	2,492	2,607	2,722	2,859	3,033	3,246	3,456	3,668	3,876
Upholstered Screen, 70in Height, 4-Way		ST	U24	H70		14W x 14D x 70H	2.8	1,962	2,157	2,263	2,367	2,472	2,579	2,693	2,809	2,946	3,121	3,333	3,542	3,754	3,964

To Order Select Below

1. Series/Model/Height

STU24H48

Still Upholstered Screen, 48in Height, 4-Way

STU24H59

Still Upholstered Screen, 59in Height, 4-Way

STU24H70

Still Upholstered Screen, 70in Height, 4-Way

2. Connectors

No Connectors Required

Refer to **pages 8-10** for layout rules.

3. Powder Coat Finish

BLBLUE

BMBLACK MATTE

BRBRASS

BTBLACK TWILIGHT

CPCHAMPAGNE

DBGDARK BRONZE

DGDARK GRAY

DPDUSTY PINK

FGFOREST GREEN

LGLIGHT GRAY

MGMEADOW GREEN

MKMILK

MSMETALLIC SILVER

NKNICKEL

NVNAVY

ORORANGE

PYPALE YELLOW

RDRED

RORED ORANGE

RRRUSTY RED

SBSoft BLUE

SDSAND

TCTerracotta

TPTAUPE

TSTEXTURED SLATE

YLYELLOW

4. Power

Power

IEINFEED END (CORDED)

Refer to **pages 11-14** for an explanation of Power Selection.

PS is only for textiles where power is applied in a 24"W screen.

Corners are not tackable.

5. Upholstery

Upholstery


See **general information section** for details on textile program and **COM/COL** information.

Still textiles must be applied up the roll.

For tackability, please confirm your textile is tackable directly with the manufacturer.

Still Screens

WOOD SCREENS: 48IN HEIGHT

							Solid Wood
TITLE		SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	PRICE
Wood Screen, 48in Height, 15in Width		ST	W01	H48	W15	15W x 1.88D x 48H	1,394
Wood Screen, 48in Height, 24in Width		ST	W01	H48	W24	24.5W x 1.88D x 48H	1,895
Wood Screen, 48in Height, 36in Width		ST	W01	H48	W36	36.4W x 1.88D x 48H	2,548

To Order Select Below

1. Series/Model/Height

STW01H48
Still Wood Screen, 48in Height

2. Width

W15	15" W
W24	24" W
W36	36" W

3. Connectors

CL	LEFT CONNECTOR ONLY
CR	RIGHT CONNECTOR ONLY
CF	NO CONNECTOR

A connector is considered Left or Right when facing Side A. 48in screens include low connectors on both sides as a default. CF - No Connector is not available on all sizes. Refer to **pages 8-10** for layout rules.

4. Powder Coat Finish

BL	BLUE	NK	NICKEL
BM	BLACK MATTE	NV	NAVY
BR	BRASS	OR	ORANGE
BT	BLACK TWILIGHT	PY	PALE YELLOW
CP	CHAMPAGNE	RD	RED
DB	DARK BRONZE	RO	RED ORANGE
DG	DARK GRAY	RR	RUSTY RED
DP	DUSTY PINK	SB	SOFT BLUE
FG	FOREST GREEN	SD	SAND
LG	LIGHT GRAY	TC	TERRACOTTA
MG	MEADOW GREEN	TP	TAUPE
MK	MILK	TS	TEXTURED SLATE
MS	METALLIC SILVER	YL	YELLOW

5. Power

PA	POWER POSITION A
PB	POWER POSITION B
PS	POWER SPLIT
IE	INFEED END

Refer to **pages 11-14** for an explanation of Power Selection.



PS is only required when power is splitting in a 24"W screen.

6. Wood Finish

		15W	24W	36W
SW81	OAK			
SW83	NATURAL MAPLE			
SW85	WALNUT	+210	+327	+475
SW87	OPAQUE BLACK			

Still Screens

WOOD SCREENS: 59IN HEIGHT

							Solid Wood
TITLE		SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	PRICE
Wood Screen, 59in Height, 15in Width		ST	W01	H59	W15	15W x 1.88D x 59H	1,520
Wood Screen, 59in Height, 24in Width		ST	W01	H59	W24	24.5W x 1.88D x 59H	2,085
Wood Screen, 59in Height, 36in Width		ST	W01	H59	W36	36.4W x 1.88D x 59H	2,819

To Order Select Below

1. Series/Model/Height

STW01H59
Still Wood Screen, 59in Height

2. Width

Width
W15 15" W
W24 24" W
W36 36" W

3. Connectors

CL	LEFT CONNECTOR ONLY
CR	RIGHT CONNECTOR ONLY
LL	LOW CONNECTOR, LEFT
LR	LOW CONNECTOR, RIGHT
LB	LOW CONNECTOR, BOTH
CF	NO CONNECTOR

A connector is considered Left or Right when facing Side A. 59in screens include two upper connectors per side as a default. "Low Connector" is specified when connecting to a different height screen. CF - No Connector is not available on all sizes. Refer to **X** for layout rules.

4. Powder Coat Finish

Standard Powder Coated Metal			
BL	BLUE	NK	NICKEL
BM	BLACK MATTE	NV	NAVY
BR	BRASS	OR	ORANGE
BT	BLACK TWILIGHT	PY	PALE YELLOW
CP	CHAMPAGNE	RD	RED
DB	DARK BRONZE	RO	RED ORANGE
DG	DARK GRAY	RR	RUSTY RED
DP	DUSTY PINK	SB	SOFT BLUE
FG	FOREST GREEN	SD	SAND
LG	LIGHT GRAY	TC	TERRACOTTA
MG	MEADOW GREEN	TP	TAUPE
MK	MILK	TS	TEXTURED SLATE
MS	METALLIC SILVER	YL	YELLOW

5. Power

PA	POWER POSITION A
PB	POWER POSITION B
PS	POWER SPLIT
IE	INFEED END

Refer to **pages 11-14** for an explanation of Power Selection.



PS is only required when power is splitting in a 24"W screen.

6. Wood Finish

Wood Finish	15W	24W	36W
SW81	OAK		
SW83	NATURAL MAPLE		
SW85	WALNUT	+274	+434
SW87	OPAQUE BLACK		+636

Still Screens

WOOD SCREENS: 70IN HEIGHT

							Solid Wood
TITLE		SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	PRICE
Wood Screen, 70in Height, 15in Width		ST	W01	H70	W15	15W x 1.88D x 70H	1,663
Wood Screen, 70in Height, 24in Width		ST	W01	H70	W24	24.5W x 1.88D x 70H	2,321
Wood Screen, 70in Height, 36in Width		ST	W01	H70	W36	36.4W x 1.88D x 70H	3,166

To Order Select Below

1. Series/Model/Height

STW01H70

Still Wood Screen, 70in Height

2. Width

W15	15" W
W24	24" W
W36	36" W

3. Connectors

CL	LEFT CONNECTOR ONLY
CR	RIGHT CONNECTOR ONLY
LL	LOW CONNECTOR, LEFT
LR	LOW CONNECTOR, RIGHT
LB	LOW CONNECTOR, BOTH

A connector is considered Left or Right when facing Side A. 70in screens include two upper connectors per side as a default. "Low Connector" is specified when connecting to a lower height screen. Refer to **pages 8-10** for layout rules.

4. Powder Coat Finish

BL	BLUE	NK	NICKEL
BM	BLACK MATTE	NV	NAVY
BR	BRASS	OR	ORANGE
BT	BLACK TWILIGHT	PY	PALE YELLOW
CP	CHAMPAGNE	RD	RED
DB	DARK BRONZE	RO	RED ORANGE
DG	DARK GRAY	RR	RUSTY RED
DP	DUSTY PINK	SB	SOFT BLUE
FG	FOREST GREEN	SD	SAND
LG	LIGHT GRAY	TC	TERRACOTTA
MG	MEADOW GREEN	TP	TAUPE
MK	MILK	TS	TEXTURED SLATE
MS	METALLIC SILVER	YL	YELLOW

5. Power

PA	POWER POSITION A
PB	POWER POSITION B
PS	POWER SPLIT
IE	INFEED END

Refer to **pages 11-14** for an explanation of Power Selection.

PS is only required when power is splitting in a 24"W screen.

6. Wood Finish

		15W	24W	36W
SW81	OAK			
SW83	NATURAL MAPLE			
SW85	WALNUT	+345	+537	+780
SW87	OPAQUE BLACK			

Still Screens

WOOD SCREENS: 90 DEGREE CORNER

							Solid Wood
TITLE		SERIES	MODEL	HEIGHT	WIDTH	DIMENSIONS	PRICE
Wood Screen, 48in Height, 90 Degree Corner		ST	W02	H48		8W x 8D x 48H	1,150
Wood Screen, 59in Height, 90 Degree Corner		ST	W02	H59		8W x 8D x 59H	1,245
Wood Screen, 70in Height, 90 Degree Corner		ST	W02	H70		8W x 8D x 70H	1,345

To Order Select Below

1. Series/Model/Height

STW02H48

Still Wood Screen, 48in Height, 90° Corner

STW02H59

Still Wood Screen, 59in Height,90° Corner

STW02H70

Still Wood Screen, 70in Height, 90° Corner

2. Connectors

No Connectors Required

Refer to **pages 8-10** for layout rules.

3. Powder Coat Finish

BLBLUE

BMBLACK MATTE

BRBRASS

BTBLACK TWILIGHT

CPCHAMPAGNE

DBDARK BRONZE

DGDARK GRAY

DPDUSTY PINK

FGFOREST GREEN

LGLIGHT GRAY

MGMeadow Green

MKMILK

MSMETALLIC SILVER

NKNICKEL

NVNAVY

ORORANGE

PYPale Yellow

RDRED

RORED ORANGE

RRRUSTY RED

SBSoft Blue

SDSAND

TCTerracotta

TPTAUPE

TSTextured Slate

YLYELLOW

4. Wood Finish

Wood Finish

48H59H70H

SW81OAK



SW83NATURAL MAPLE

SW85WALNUT+177+216+272

SW87OPAQUE BLACK


Still Screens

BASEPLATES AND ACCESSORIES

TITLE		SERIES	MODEL	DIMENSIONS	PRICE
Base, Small		ST	B01	6W x 14D x 0.18H	123
Base, Large		ST	B02	8.5W x 18D x 0.25H	148
Base, Large Mid		ST	B03	9.25W x 18D x 0.25H	148
Accessories, Hook		ST	A01	1.5W x 1.5D x 6.6H	38
Accessories, Whiteboard		ST	A02	36.38W x 2.5D x 29.75H	780

To Order Select Below


1. Series/Model



STB01	SMALL BASEPLATE
STB02	LARGE BASEPLATE
STB03	LARGE MID BASEPLATE
STA01	COAT HOOK
STA02	WHITE BOARD

The White Board is only available in dry erase paint.
Refer to **pages 8-10** for layout rules.

2. Powder Coat Finish



Standard Powder Coated Metal

BL	BLUE	NK	NICKEL
BM	BLACK MATTE	NV	NAVY
BR	BRASS	OR	ORANGE
BT	BLACK TWILIGHT	PY	PALE YELLOW
CP	CHAMPAGNE	RD	RED
DB	DARK BRONZE	RO	RED ORANGE
DG	DARK GRAY	RR	RUSTY RED
DP	DUSTY PINK	SB	SOFT BLUE
FG	FOREST GREEN	SD	SAND
LG	LIGHT GRAY	TC	TERRACOTTA
MG	MEADOW GREEN	TP	TAUPE
MK	MILK	TS	TEXTURED SLATE
MS	METALLIC SILVER	YL	YELLOW